

MATERIAL SAFETY DATA SHEET

16 Sections

SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

CECTION 1 CITEMIONE I ROBOCT / WIND COMM / WY I IDENTIFICATION						
Product Identifier						
BAUS WASH						
Product Use						
Car and surface wash soap						
Manufacturer's Name			Supplier's Name			
GLOSSBAUS INTERNATIONAL INC.			GLOSSBAUS INTERNATIONA	GLOSSBAUS INTERNATIONAL INC.		
Ctract Address			Street Address			
Street Address #9a – 10114 Mcdonald Park Road.			#9a – 10114 Mcdonald Park Road.			
#3a - 10114 Mcdollald I alk Road.			#3a - 10114 Mcdollaid Lark N	odu.		
City		Province	City		Province	
North Saanich		British Columbia			British	
					Columbia	
Postal Code	Emergency 7	Felephone	Postal Code	Emergency 1	Felephone	
V8L 5X8		-244-2287	V8L 5X8		-244-2287	
Date MSDS Prepared			-	<u>'</u>		
April 1st / 2019						

SECTION 2 — HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

- 2.1 ForHumans (additional information is given under item 11): Harmful&Flammable. May be irritating to eyes. May cause sensitization by skin contact. May cause lung damage if swallowed. Vapors may cause drowsiness and dizziness. Repeated exposure may cause skin dryness or cracking.
- 2.2 For the Environment: Raising overall contamination by hydrocarbons. May cause long-term adverse effects in the aquatic environment. 2.3 For Materials:

2.2 Label elements

Labelling acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)





2.3 Signal word: danger

- 2.4 H315 Causes skin irritation.
 - H318 Causes serious eye damage.
 - H373 May cause damage to organs through prolonged or repeated exposure.
 - P260 Do not breathe mist / vapors / spray.
 - P280 Wear protective gloves / eye protection / face protection.
 - P302+352 IF ON SKIN: Wash with soap and water.
 - P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do continue rinsing.
 - P310 Immediately call a POISON CENTER or doctor / physician.
 - P314 Get Medical advice / attention if you feel unwell. P362 Take off contaminated clothing and wash before reuse.

SECTION 3 — COMPOSITION / INFORMATION

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

Hazardous Ingredients (specific)	%	CAS Number	CLASSIFICATION ACC. TO GHS	
Fatty Ethoxylates	40-50%	68439-50-9	Acute Tox. 4;H302	
			Skin Irrit. 2;H315	
			Eye Dam. 1;H318	

SECTION 4 — FIRST AID MEASURES

- 4.1. Description of first aid measures General Remove contaminated clothing and shoes. Get medical attention immediately. Wash clothing before reuse. Thoroughly clean or destroy contaminated shoes.
- 4.2. Inhalation If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention immediately.
- 4.3. Eyes In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.
- 4.4. Skin In case of contact, immediately flush skin with soap and plenty of water. Get medical attention immediately.
- 4.5. Ingestion If swallowed, immediately contact Poison Control Center at 1-800-854-6813. DO NOT induce vomiting unless instructed to do so by medical personnel. Never give anything by mouth to an unconscious person.
- 4.6. Most important symptoms and effects, both acute and delayed Overview NOTICE: Reports have associated repeated and prolonged occupational overexposure to solvents with permanent brain and nervous system damage. Intentional misuse by deliberately concentrating and inhaling the contents may be harmful or fatal. Avoid contact with eyes, skin and clothing.
- 4.7. Inhalation Harmful if inhaled. Causes nose and throat irritation.
- 4.8. Vapors may affect the brain or nervous system causing dizziness, headache or nausea.
- 4.9. Eyes Causes severe eye irritation. Avoid contact with eyes.
- 4.10. Skin Causes skin irritation. May be harmful if absorbed through the skin.
- **4.11.** Ingestion Harmful if swallowed. May cause abdominal pain, nausea, vomiting, diarrhea, or drowsiness.

SECTION 5 — FIRE FIGHTING MEASURES

5.1 Extinguishing media CAUTION: This product has a very low flashpoint. Use of water spray when fighting fire may be inefficient.

SMALL FIRES: Use dry chemical, CO2, water spray or alcohol-resistant foam. LARGE FIRES: Use water spray, fog, or alcohol-resistant foam. Do not use straight streams. Move containers from fire area if you can do so without risk. Runoff from fire control may cause pollution. Dike fire control water for later disposal. Do not scatter the material.

5.2. Special hazards arising from the substance or mixture May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and

Carbon Monoxide.

5.3. Advice for fire-fighters

Cool closed containers exposed to fire by spraying them with water. Do not allow run off water and contaminants from fire fighting to enter drains or water courses.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures ELIMINATE ALL IGNITION SOURCES (no smoking, flares, sparks or flames in immediate area). Use only non-sparking equipment to handle spilled material and absorbent. Do not touch or walk through spilled material. Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas. A vapor suppressing foam may be used to reduce vapors. Absorb or cover with dry earth, sand, or other non-combustible material and transfer to containers. Use non-sparking tools to collect absorbed material.
- 6.2. Environmental precautions Do not allow spills to enter drains or watercourses.
- 6.3. Methods and material for containment and cleaning up

CALL CHEMTREC at (800)-424-9300 for emergency response. Isolate spill or leak area immediately for at least 25 to 50 meters (80 to 160 feet) in all directions. Keep unauthorized personnel away. Stay upwind. Keep out of low areas. Ventilate closed spaces before entering. LARGE SPILLS: Consider initial downwind evacuation for at least 300 meters (1000 feet).

SECTION 7 — HANDLING AND STORAGE

7.1 Precautions for safe handling

Handling Vapors may cause flash fire or ignite explosively.

In Storage Keep away from heat, sparks and flame.

- 7.2. Conditions for safe storage, including any incompatibilities Store between 40-100F (4-38C). Do not get in eyes, on skin or clothing. Strong oxidizing agents. Do not smoke. Extinguish all flames and pilot lights, and turn off stoves, heaters, electric motors and other sources of ignition during use and until all vapors are gone.
- 7.3. Specific end use(s) Close container after each use. Wash thoroughly after handling. Prevent build-up of vapors by opening all windows and doors to achieve cross-ventilation

SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

Exposure controls:

Appropriate engineering control:

General ventilation.

Individual protection measures (personal protective equipment):

Wear eye/face protection.

Hand protection:

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Other protection measures:

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection:

Incase of insufficient ventilation, where appropriate respiratory equipment

Environmental exposure controls:

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.







SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid	Odor and Appearance Slight odor	Color Blue
Autoignition Temperature: Not Determined	Vapor Pressure Not Determined	Flashpoint No Established Limit (°C) No Established Limit(°F)
Evaporation Rate Not Determined	Boiling Point (° C) 100 (°C) 212 (°F)	Freezing Point (° C) Not Determined
PH Not Determined	Coefficient of Water/Oil Distribution Not Determined	

SECTION 10 — STABILITY AND REACTIVITY

- 10.1. Reactivity; No data available
- 10.2. Chemical stability; This product is stable and hazardous polymerization will not occur. Not sensitive to mechanical impact. Excessive heat and fumes generation can occur if improperly handled.
- 10.3. Possibility of hazardous reactions; No data available
- 10.4. Conditions to avoid; No data available
- 10.5. Incompatible materials; Strong oxidizing agents.
- 10.6. Hazardous decomposition products; May produce hazardous fumes when heated to decomposition as in welding. Fumes may produce Carbon Dioxide and Carbon Monoxide.

SECTION 11 — TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure:

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to OSHA "Hazard Communication Standard" (29 CFR 1910.1200)

Acute toxicity:

Harmful if swallowed.

Serious eye damage/eye irritation:

Causes serious eye irritation.

Respiratory or skin sensitization:

Shall not be classified as a respiratory or skin sensitizer.

Germ cell mutagenicity:

Shall not be classified as germ cell mutagenic.

Carcinogenicity:

Shall not be classified as carcinogenic.

Specific target organ toxicity (Single Exposure):

Shall not be classified as a specific target organ toxicant (single exposure)

Specific target organ toxicity: (Repeated Exposure)

Shall not be classified as a specific target organ toxicant (repeated exposure).

SECTION 12 — ECOLOGICAL INFORMATION

12.1 Toxicity

Related to contained substances: unlikey to bioaccumulate. Low toxicity to fish.

12.1 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

The substance / mixture does not contain substances.

12.6 Other adverse effects

No adverse effects.

SECTION 13 — DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Do not allow spills to enter drains or watercourses. Dispose of in accordance with local, state and federal regulations.

SECTION 14 — TRANSPORT INFORMATION

14.1 UN number: Not classified as dangerous goods by the criteria of the International Maritime Danger Goods Code / ADR/ IATA

14.2 UN proper shipping name: N/A

14.3 Transport hazard class(es): N/A

14.4 Packing group: N/A

14.5 Environmental hazards:

Product is not environmentally hazardous, Marina polluting agent: Not

14.6 Special precautions for user:

There is no additional information.

14.7 Transport in bulk (according to Annex II of MARPOL and the IBC Code)

There is no additional information.

SECTION 15 — REGULATORY INFORMATION

Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

All ingredients of this product are listed on the TSCA (Toxic Substance Control Act)

Inventory or are not required to be listed on the TSCA Inventory.

WHMIS Classification

D2B E DOT Marine Pollutants (10%): (No Product Ingredients Listed)

DOT Severe Marine Pollutants (1%): (No Product Ingredients Listed)

EPCRA 311/312 Chemicals and RQs (>.1%): Ethoxylates (100 lb final RQ; 45.4 kg final RQ)

EPCRA 302 Extremely Hazardous (>.1%): (No Product Ingredients Listed)

EPCRA 313 Toxic Chemicals (>.1%): Ethoxylates

Mass RTK Substances (>1%): Ethoxylates

Penn RTK Substances (>1%): Ethoxylates

Penn Special Hazardous Substances (>.01%): (No Product Ingredients Listed)

RCRA Status: (No Product Ingredients Listed)

N.J. RTK Substances (>1%): Ethoxylates

N.J. Special Hazardous Substances (>.01%): Ethoxylates

N.J. Env. Hazardous Substances (>.1%): Ethoxylates

Proposition 65 - Carcinogens (>0%): Ethoxylates

Proposition 65 - Female Repro Toxins (>0%): (No Product Ingredients Listed)

Proposition 65 - Male Repro Toxins (>0%): (No Product Ingredients Listed)

Proposition 65 - Developmental Toxins (>0%): (No Product Ingredients Listed)

SECTION 16 — OTHER INFORMATION

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure. This is the first revision of this SDS format, changes from previous revision not applicable.